


ToLEDo Retro ST64 Gold Dimmable

ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S
0028462



Product features

- Perfect for decorative and general lighting applications and creates a warm ambiance similar to traditional lamps
- Same look, size and functionality as incandescent lamps
- Omni-directional light distribution
- A+ energy rating
- Suitable replacement for incandescent and halogen lamps
- Gives same sparkling light effect as incandescent lamp
- Dimensionally identical to incandescent lamps - fits all fixtures
- Environment friendly - no mercury and lower CO2 emissions
- Dimmable with approved dimmers



NOTES

undefined

PRODUCT OVERVIEW

Product name	ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S
Technology	LED
Watt (Rated) (W)	6
Cap/Base	E27
Fixture rating	Open
General application	Horeca, Residential & Consumer
ETIM Class	EC001959
Luminous flux (lm)	560
Colour temperature (K)	2500
Light colour	Candlelight
CRI (Ra)	80
Wattage (W)	6
Product Voltage (V)	230
Average life (Nominal) (h)	15000
Product EAN number	5410288284620

DATA TABLE

General data

Product name	ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S
Technology	LED

ToLEDo Retro ST64 Gold Dimmable

ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S
0028462

Watt (Rated) (W)	6
Cap/Base	E27
Fixture rating	Open
General application	Horeca, Residential & Consumer
Performance ambient temperature Tq (°C)	25
ETIM Class	EC001959

Optical data

Luminous flux (lm)	560
Luminous flux (Rated) (lm)	560
Colour temperature (K)	2500
Light colour	Candlelight
CRI (Ra)	80
Lumen maintenance at end of nominal life (%)	70

Electrical data

Wattage (W)	6
Starting time (max) (s)	0.5
Warm-up time to 60% of full light (max) (s)	1
Product Voltage (V)	230
Lamp power factor	0.75
No. Of switching cycles before premature failures	50000
Inrush Current (A)	1.4
Lamp Energy Label (class)	A+
kWh per 1000 hours burning time	6
Nominal Frequency (Hz)	50/60Hz
Max. Luminaires per 10A C Breaker	71
Max. Luminaires per 16A C Breaker	114
Max. Luminaires per 20A C Breaker	143

Lifetime data

Average life (Nominal) (h)	15000
Average life (Rated) (h)	15000

Physical data

Nominal Product Length (mm)	140
Nominal Product Diameter (mm)	64
Weight (kg)	0.058

Packaging

Single packaging type	Carton
Product EAN number	5410288284620
Packaging single length / height (cm)	7.0
Packaging single width (cm)	7.0
Packaging single depth (cm)	15.2
DUN14 (outer)	15410288284627

ToLEDo Retro ST64 Gold Dimmable

ToLEDo RT ST64 V3 GL DIM 560LM 825 E27 S
0028462

Units per outer package	6
Packaging outer length / height (cm)	21.8
Packaging outer width (cm)	14.7
Packaging outer depth (cm)	16.2

Safety data

Breakage cleaning instructions	Not applicable
Special purpose lamp	No
Intended purpose	No
Dry applications use only	Yes
Suitable for household illumination	Yes
Safety message	Not Suitable for totally enclosed fixtures
Safety message	Dimmable with approved dimmers

